

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	25	((TED) near2 (JOHNSON)). INV.	US-PGPUB; USPAT	OR	OFF	2007/09/20 18:21
S2	186160	client and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 09:17
S3	4348280	secur\$3 secret\$3 decoy\$1 hidden alternat\$3 translat\$3 scrambl\$3 change\$3 translat \$3	US-PGPUB; USPAT	OR	OFF	2007/09/20 09:18
S4	24695	port near2 number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 09:17
S5	839	S3 near3 S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 09:09
S6	478	S5 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 09:09
S7	33	S6 and 709/203.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 12:48
S8	147949	client with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 09:20
S9	18655	port adj number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 09:21
S10	1479014	(well adj known) (well? known)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 09:22
S11	4805775	secur\$3 secret\$3 decoy\$1 hidden alternat\$3 translat\$3 scrambl\$3 change\$3 translat \$3 different	US-PGPUB; USPAT	OR	OFF	2007/09/20 09:22

S12	626	S8 and ((S10 or S11) near2 S9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 09:28
S13	6459	709/223.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 09:28
S14	50	S12 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 10:01
S17	29974043	@pd<"20040315" @rlad<"20040315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 10:07
S19	147949	client with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 10:12
S20	18655	port adj number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 10:12
S21	1479014	(well adj known) (well? known)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 10:12
S22	4805775	secur\$3 secret\$3 decoy\$1 hidden alternat\$3 translat\$3 scrambl\$3 change\$3 translat \$3 different	US-PGPUB; USPAT	OR	OFF	2007/09/22 13:02
S23	626	S19 and ((S21 or S22) near2 S20)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 10:12
S24	6459	709/223.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 10:12
S25	50	S23 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 10:12

S26	29974043	@pd<"20040315" @rlad<"20040315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 10:12
S27	35	S25 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 10:59
S28	15962	709/223-226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 15:18
S29	111	S23 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 15:18
S30	77	S29 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 15:18
S31	8738	709/227-229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 15:18
S32	82	S23 and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 15:18
S33	62	S32 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 15:19
S34	49	S19 and ((pseduo dynamic\$4) near2 S20)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 17:47
S35	23	S34 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 17:48
S36	147949	client with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 18:22

S37	18655	port adj number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 18:22
S38	1479014	(well adj known) (well? known)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 18:22
S39	4805775	secur\$3 secret\$3 decoy\$1 hidden alternat\$3 translat\$3 scrambl\$3 change\$3 translat \$3 different	US-PGPUB; USPAT	OR	OFF	2007/09/20 18:22
S40	626	S36 and ((S38 or S39) near2 S37)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 18:22
S41	29974043	@pd<"20040315" @rlad<"20040315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 18:22
S42	409	S40 and S41	US-PGPUB; USPAT	OR	OFF	2007/09/20 18:40
S43	218	S42 and "709"/\$.cls.	US-PGPUB; USPAT	OR	OFF	2007/09/20 18:40
S45	147949	client with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 09:45
S46	18655	port adj number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 09:45
S47	1479014	(well adj known) (well? known)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 09:45
S48	4805775	secur\$3 secret\$3 decoy\$1 hidden alternat\$3 translat\$3 scrambl\$3 change\$3 translat \$3 different	US-PGPUB; USPAT	OR	OFF	2007/09/21 09:45
S49	626	S45 and ((S47 or S48) near2 S46)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 09:45

S50	29974043	@pd<"20040315" @rlad<"20040315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 09:45
S51	409	S49 and S50	US-PGPUB; USPAT	OR	OFF	2007/09/21 09:45
S52	218	S51 and "709"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2007/09/21 09:45
S53	21	S52 and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 09:50
S54	2048	(client OR node OR device OR terminal) SAME (establish\$3 OR creat\$3 OR open\$4 OR set \$5 OR request\$3) SAME (communicat\$4 OR session\$1 OR socket\$1 OR connect\$4 OR ((TCP OR IP OR computer) ADJ2 (session\$1 OR connect\$4))) SAME (server OR host OR provider OR ISP OR computer) SAME (attack OR Dos OR (denial ADJ of ADJ service) OR intrusion OR hack\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/22 13:10
S55	1763	(decoy\$1 OR dummy OR secret\$3 OR hidden OR modif \$5 OR secure\$3 OR alternat\$3 OR translat\$3 OR scramble\$3 or chang\$3) WITH (bind\$4 OR bound\$4 OR map\$4 OR assign\$5) NEAR4 (port or (logical NEAR2 port\$1) OR socket\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 12:39
S56	29974043	((@pd<"20040315" @rlad<"20040315")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 12:39
S57	15	S54 AND S55 AND S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 12:53
S58	6506	(map\$4 OR re\$1direct\$5 OR bind\$4 OR translat\$5) NEAR2 port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 12:57

S59	3	S54 SAME S58	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 13:03
S60	56	S54 and S58	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 14:02
S61	38	S60 AND S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 14:20
S62	4	((("6983332") or ("6029045")). PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 14:32
S63	23	(US-20040086123-\$ or US- 20040008681-\$ or US- 20040019682-\$ or US- 20030110273-\$ or US- 20060218265-\$ or US- 20040044778-\$ or US- 20040044777-\$ or US- 20020099850-\$ or US- 20020049857-\$ or US- 20020143939-\$ or US- 20040019804-\$).did. or (US- 7254133-\$ or US-6983332-\$ or US-6205479-\$ or US- 6457061-\$ or US-6609159-\$ or US-6615263-\$ or US- 6219706-\$ or US-6654807-\$ or US-7054935-\$ or US- 6587866-\$ or US-6591299-\$ or US-5950195-\$).did.	US-PGPUB; USPAT	OR	OFF	2007/09/21 15:01
S64	30476	(secur\$3 OR secret\$3 OR decoy\$1 OR hidden OR alternat\$3 OR translat\$3 OR scrambl\$3 OR change\$3 OR different) adj3 port\$1	US-PGPUB; USPAT	OR	OFF	2007/09/22 13:04
S65	449568	(Request\$3 OR node OR client OR device OR terminal) SAME (establish\$3 OR initiat \$3 OR set\$4 OR connect\$3 OR open\$3 OR creat\$3) Same (communicat\$4 OR session\$1 OR socket\$1 OR connect\$4 OR ((TCP OR IP OR computer) ADJ2 (session\$1 OR connect\$4))) SAME (server OR host OR provider OR ISP OR computer OR FTP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/22 13:40

S66	1365	S64 same S65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/22 13:12
S67	29974043	((@pd<"20040315" @rlad<"20040315")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/22 13:12
S68	816	S66 and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/22 13:12
S69	651	S68 and software	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/22 13:16
S70	60736	((client adj server) OR client \$server OR client?server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/22 13:15
S71	651	S68 and software	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/22 13:16
S72	221	S70 and S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/22 13:18
S73	147949	client with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/22 13:18
S74	18655	port adj number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/22 13:18
S75	1479014	(well adj known) (well? known)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/22 13:18
S76	4805775	secur\$3 secret\$3 decoy\$1 hidden alternat\$3 translat\$3 scrambl\$3 change\$3 translat \$3 different	US-PGPUB; USPAT	OR	OFF	2007/09/22 13:42

S77	626	S73 and ((S75 or S76) near2 S74)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/22 13:18
S78	29974043	@pd<"20040315" @rlad<"20040315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/22 13:18
S79	409	S77 and S78	US-PGPUB; USPAT	OR	OFF	2007/09/22 13:18
S80	218	S79 and "709"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2007/09/22 13:18
S81	41	S72 and S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/22 13:25
S82	701278	(Request\$3 OR node OR client OR device OR terminal) SAME (establish\$3 OR initiat \$3 OR set\$4 OR connect\$3 OR open\$3 OR creat\$3) SAME (communicat\$4 OR session\$1 OR socket\$1 OR connect\$4 OR servic\$3 OR ((FTP OR TCP OR IP OR computer) ADJ2 (session\$1 OR connect\$4))) SAME (software OR process OR service OR server OR host OR provider OR ISP OR computer OR FTP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/22 13:40
S83	24627	(secur\$3 OR secret\$3 OR decoy\$1 OR hidden OR alternat\$3 OR translat\$3 OR scrambl\$3 OR change\$3 OR translat\$3 OR different) NEAR2 port	US-PGPUB; USPAT	OR	OFF	2007/09/22 13:45
S84	9009	S82 and S83	US-PGPUB; USPAT	OR	OFF	2007/09/22 13:45
S85	1596	S82 same S83	US-PGPUB; USPAT	OR	OFF	2007/09/22 13:46
S86	972	S85 and S67	US-PGPUB; USPAT	OR	OFF	2007/09/22 13:46
S87	71	S86 and S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/22 13:47
S88	436	(hacker intruder) SAME port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 11:08

S89	779	(hacker\$1 intruder\$1) SAME port\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 11:08
S90	49418	port\$1 near2 (number\$1 valid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 15:50
S91	269	S89 AND S90	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 11:14
S92	29975392	@pd<"20040315" @rlad<"20040315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 11:10
S93	182	S91 AND S92	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 11:14
S94	92	S89 SAME S90	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 11:14
S95	61	S94 AND S92	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 11:14
S96	321011	plurality with (port\$1 socket \$1 channel\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 14:49
S97	150006	plurality near2 (port\$1 socket \$1 channel\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 14:49
S98	3930584	(table memory buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 14:50
S99	32283	S96 SAME S98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 14:51

S100	29975392	((@pd<"20040315" @rlad<"20040315")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 14:51
S101	23313	S99 AND S100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 14:52
S102	10883	((vaughn.xp. or vaughn.xa.) (kang.xp. or kang.xa.) (rinehart.xp.) (wiley.xp.) (geckil.xp.) ("prieto.xp" or prieto.xa.) (harrell.xp.) (Thompson.xp.) (cardone. xa.))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 14:52
S103	150	S101 AND S102	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 14:52
S104	151962	port\$1 near2 (disparate first two different few)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 16:09
S105	90276	port\$1 near (disparate first two different few)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 16:12
S106	42695	(port\$1 near (plurality disparate first two different few)).CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 16:17
S109	1280	S106 AND "709"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 16:21
S110	661	((port socket channel) near2 (plurality disparate first two different few)) WITH ((port socket channel) adj number)). CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 16:19
S111	108	S110 AND "709"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 16:22

S112	33	(US-20030065950-\$ or US-20040019689-\$ or US-20060203808-\$ or US-20040008681-\$ or US-20040086123-\$ or US-20040019682-\$ or US-20030110273-\$ or US-20060218265-\$ or US-20040044778-\$ or US-20040044777-\$ or US-20060031514-\$ or US-20020099850-\$ or US-20020049857-\$ or US-20020143939-\$ or US-20040019804-\$ or US-20050198334-\$ or US-20050044242-\$ or US-20050138413-\$).did. or (US-5854841-\$ or US-6609159-\$ or US-6219706-\$ or US-7254133-\$ or US-6983332-\$ or US-6205479-\$ or US-6457061-\$ or US-7043564-\$ or US-6615263-\$ or US-7054935-\$ or US-6654807-\$ or US-6587866-\$ or US-6591299-\$ or US-5950195-\$ or US-7194769-\$).did.	US-PGPUB; USPAT	OR	OFF	2007/09/28 11:59
S113	36923	(intermed\$5 interpos\$3 interven\$3 transitional intermediate) with port\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 12:41
S114	3	S112 AND S113	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 12:03
S115	230	(US-20040019689-\$ or US-20030065950-\$ or US-20060203808-\$ or US-20040008681-\$ or US-20040086123-\$ or US-20040019682-\$ or US-20030110273-\$ or US-20060218265-\$ or US-20040044778-\$ or US-20040044777-\$ or US-20060031514-\$ or US-20020099850-\$ or US-20020049857-\$ or US-20020143939-\$ or US-20040019804-\$ or US-20050198334-\$ or US-20050044242-\$ or US-20050138413-\$ or US-20040230660-\$ or US-20070220170-\$ or US-20030065711-\$ or US-	US-PGPUB; USPAT; JPO	OR	OFF	2007/09/28 12:29

20070189312-\$ or US-
20030097592-\$ or US-
20030081783-\$ or US-
20020143965-\$ or US-
20020143953-\$).did. or (US-
20020178265-\$ or US-
20020178268-\$ or US-
20030101217-\$ or US-
20050149760-\$ or US-
20050130645-\$ or US-
20030233454-\$ or US-
20030177174-\$ or US-
20050210243-\$ or US-
20020038352-\$ or US-
20060080446-\$ or US-
20030154284-\$ or US-
20030191795-\$ or US-
20060195508-\$ or US-
20020078233-\$ or US-
20030009588-\$ or US-
20010023449-\$ or US-
20070088822-\$ or US-
20040044912-\$ or US-
20020144156-\$ or US-
20030105976-\$ or US-
20070180526-\$ or US-
20030093558-\$ or US-
20030101265-\$ or US-
20030005104-\$ or US-
20040049483-\$ or US-
20040024879-\$ or US-
20030126230-\$).did. or (US-
20010007996-\$ or US-
20050060434-\$ or US-
20040049570-\$ or US-
20030065791-\$ or US-
20040210660-\$ or US-
20060212586-\$ or US-
20030177236-\$ or US-
20030101255-\$ or US-
20030212795-\$ or US-
20030051142-\$ or US-
20040010712-\$ or US-
20050021863-\$ or US-
20020065938-\$ or US-
20020009079-\$ or US-
20060075139-\$ or US-
20060029104-\$ or US-
20060029038-\$ or US-
20060020715-\$ or US-
20070143847-\$ or US-
20060259625-\$ or US-
20020078383-\$ or US-
20060053485-\$ or US-
20070008971-\$ or US-
20020032790-\$ or US-
20040068668-\$ or US-
20020002607-\$ or US-
20040205359-\$).did. or (US-
20050132060-\$ or US-
20020174208-\$ or US-

20030140136-\$ or US-
20040148382-\$ or US-
20040143655-\$ or US-
20030005103-\$ or US-
20030061332-\$ or US-
20030172145-\$ or US-
20030154306-\$ or US-
20070206497-\$ or US-
20070206621-\$ or US-
20070206615-\$ or US-
20050039040-\$ or US-
20010052012-\$ or US-
20020129264-\$ or US-
20030095514-\$ or US-
20050091310-\$ or US-
20020143955-\$ or US-
20060168328-\$ or US-
20050102405-\$ or US-
20050198311-\$ or US-
20030033412-\$ or US-
20020059455-\$ or US-
20040006573-\$ or US-
20010017862-\$ or US-
20030023672-\$ or US-
20050223095-\$).did. or (US-
20020083342-\$ or US-
20030229809-\$ or US-
20050256958-\$ or US-
20020035639-\$ or US-
20020032798-\$ or US-
20020032797-\$ or US-
20020032766-\$ or US-
20020038339-\$ or US-
20030101264-\$ or US-
20030097454-\$ or US-
20050117605-\$).did. or (US-
5854841-\$ or US-6609159-\$
or US-6219706-\$ or US-
7254133-\$ or US-6983332-\$
or US-6205479-\$ or US-
6457061-\$ or US-7043564-\$
or US-6615263-\$ or US-
7054935-\$ or US-6654807-\$
or US-6587866-\$ or US-
6591299-\$ or US-5950195-\$
or US-7194769-\$ or US-
7162542-\$ or US-5926463-\$
or US-6985440-\$ or US-
6650641-\$ or US-6633560-\$
or US-6584096-\$ or US-
6442592-\$ or US-6167450-\$
or US-6321336-\$ or US-
5371852-\$ or US-6185623-\$).
did. or (US-6615258-\$ or US-
7225249-\$ or US-7117193-\$
or US-6917972-\$ or US-
5873068-\$ or US-5812647-\$
or US-6687732-\$ or US-
6014134-\$ or US-6273622-\$
or US-7093004-\$ or US-
6023724-\$ or US-6118768-\$

		or US-6029203-\$ or US-6377993-\$ or US-6665718-\$ or US-6400722-\$ or US-6389462-\$ or US-7146417-\$ or US-7058600-\$ or US-7185368-\$ or US-6247055-\$ or US-6424992-\$ or US-6385644-\$ or US-6631402-\$ or US-6360265-\$ or US-6185598-\$ or US-6512754-\$). did. or (US-6651101-\$ or US-7266602-\$ or US-7099940-\$ or US-6321261-\$ or US-6195680-\$ or US-7039008-\$ or US-6157956-\$ or US-7003555-\$ or US-6829654-\$ or US-7032031-\$ or US-7114008-\$ or US-6304908-\$ or US-6195366-\$ or US-6664978-\$ or US-6272537-\$ or US-5948069-\$ or US-7032243-\$ or US-7136913-\$ or US-6567849-\$ or US-6023581-\$ or US-5712981-\$ or US-6097882-\$ or US-6701338-\$ or US-6401117-\$ or US-6157955-\$ or US-6421730-\$ or US-6859841-\$). did. or (US-7171486-\$ or US-7035925-\$ or US-6397255-\$ or US-7051080-\$ or US-7013329-\$ or US-7188183-\$ or US-6393477-\$ or US-6493749-\$ or US-7139799-\$ or US-7194538-\$ or US-6675208-\$ or US-6421714-\$ or US-6393482-\$ or US-6643693-\$ or US-7058968-\$ or US-7123608-\$ or US-7197308-\$ or US-6975864-\$ or US-6633761-\$ or US-6654796-\$ or US-6895433-\$ or US-6308238-\$ or US-6801927-\$ or US-6529907-\$ or US-6101189-\$ or US-6704873-\$ or US-5623601-\$). did. or (US-6522309-\$ or US-5845068-\$ or US-7173928-\$ or US-5636371-\$). did. or (JP-11161578-\$). did.				
S116	10	S113 and S115	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 12:30
S117	12109	(intermed\$5 interpos\$3 interven\$3 transitional intermediate) near\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 12:41

S118	29975392	((@pd<"20040315" @rlad<"20040315"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 12:47
S119	12109	(intermed\$5 interpos\$3 interven\$3 transitional intermediate) near3 port\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 12:55
S120	10167	S119 AND S118	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 12:47
S121	37	S120 and 709/223-226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 12:57
S122	6	S121 AND OFFSET	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 12:53
S123	157	((intermed\$5 interpos\$3 interven\$3 transitional intermediate) NEAR3 port\$1) SAME OFFSET	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 14:37
S124	132	S118 AND S123	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 13:20
S125	0	S124 AND S121	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 12:57
S126	0	S124 AND 709/223-226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 13:00
S127	1	S124 AND "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 12:58
S128	3	S124 AND "370"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 12:58

S129	1	(proxy NEAR3 port\$1) SAME offset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 14:38
S130	7	alias with (port near2 number) same (client and server)	US-PGPUB; USPAT	OR	OFF	2008/04/21 13:38
S131	6	S130 and (@pd<"20040315" @ad<"20040315")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/21 13:39
S132	34	alias with (port near2 number) and (client same server)	US-PGPUB; USPAT	OR	OFF	2008/04/21 13:45
S133	24	S132 and (@pd<"20040315" @ad<"20040315")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/21 13:45
S134	18	S133 not S131	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/21 13:45
S135	25	(port near2 mapper) and ((secur\$3 secret\$3 decoy\$1 hidden alternat\$3 translat\$3 scrambl\$3 change\$3 translat\$3 alias pseudo) with port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/22 10:26
S136	17	S135 and (@pd<"20040315" @ad<"20040315")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/22 10:27
S137	22387	(secur\$3 secret\$3 decoy\$1 hidden alternat\$3 translat\$3 scrambl\$3 change\$3 translat\$3 alias pseudo) near2 port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/22 10:57
S138	17117	S137 and (@pd<"20040315" @ad<"20040315")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/22 10:57
S139	1467	S138 and (client same server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/22 10:59
S140	1381	S138 and (client with server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/22 10:59

S141	9226	(secur\$3 secret\$3 decoy\$1 hidden alternat\$3 translat\$3 scrambl\$3 change\$3 translat \$3 alias pseudo) near1 port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/22 11:00
S142	1208	S141 and (client with server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/22 11:00
S143	806	S142 and (@pd< "20040315" @ad< "20040315")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/22 11:00
S144	449	S143 and (port near2 number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/22 11:02
S145	432	S143 and (port near1 number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/22 11:02
S146	39	S145 and 709/223.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/22 11:03

4/ 23/ 2008 3:00:19 PM

C:\Documents and Settings\smirzadegan\My Documents\EAST\Workspaces\ 10800828.wsp